



CARACTÉRISTIQUES TECHNIQUES

Référence: 09681000; 09681050; 09681100; 09681150; 09681200; 09681250; 09681300; 09681350; 09681400; 09681500; 09681450; 09681550; 09681600; 09681650; 09681700; 09681750; 09681800; 09681850; 09681900; 09681950; 09682000; 09682050; 09682100; 09682150; 09682200; 09682250; 09682300; 09682350; 09682400; 09682450; 09682500; 09682550; 09682600; 09682650; 09682700; 09682750; 09682800; 09682850; 09682900; 09682950; 09683000; 09683050; 09683100; 09683150; 09683200; 09683300; 09683400; 09683500; 09683600; 09683700; 09683800; 09683900; 09684000; 09684100; 09684200; 09684400; 09684300; 09684500; 09684600; 09684700; 09684800; 09684900; 09685000

Forets à queue conique HSS - DIN 345N

HSS



Foret à queue conique « Morse » en HSS HSS rectifié et pointe à 118°, affûtée.



CARACTÉRISTIQUES TECHNIQUES



P

Ref	Ø	↔	P		
0968 1000	10 mm	168 mm	87 mm	1	1
0968 1050	10,5 mm	168 mm	87 mm	1	1
0968 1100	11 mm	175 mm	94 mm	1	1
0968 1150	11,5 mm	175 mm	94 mm	1	1
0968 1200	12 mm	182 mm	101 mm	1	1
0968 1250	12,5 mm	182 mm	101 mm	1	1
0968 1300	13 mm	182 mm	101 mm	1	1
0968 1350	13,5 mm	189 mm	108 mm	1	1
0968 1400	14 mm	189 mm	108 mm	1	1
0968 1450	14,5 mm	212 mm	114 mm	2	1
0968 1500	15 mm	212 mm	114 mm	2	1
0968 1550	15,5 mm	218 mm	120 mm	2	1
0968 1600	16 mm	218 mm	120 mm	2	1
0968 1650	16,5 mm	223 mm	125 mm	2	1
0968 1700	17 mm	223 mm	125 mm	2	1
0968 1750	17,5 mm	228 mm	130 mm	2	1
0968 1800	18 mm	228 mm	130 mm	2	1
0968 1850	18,5 mm	233 mm	135 mm	2	1
0968 1900	19 mm	233 mm	135 mm	2	1
0968 1950	19,5 mm	238 mm	140 mm	2	1
0968 2000	20 mm	238 mm	140 mm	2	1
0968 2050	20,5 mm	243 mm	145 mm	2	1
0968 2100	21 mm	243 mm	145 mm	2	1
0968 2150	21,5 mm	248 mm	150 mm	2	1
0968 2200	22 mm	248 mm	150 mm	2	1
0968 2250	22,5 mm	253 mm	155 mm	2	1
0968 2300	23 mm	253 mm	155 mm	2	1
0968 2350	23,5 mm	276 mm	155 mm	3	1
0968 2400	24 mm	281 mm	160 mm	3	1
0968 2450	24,5 mm	281 mm	160 mm	3	1
0968 2500	25 mm	281 mm	160 mm	3	1
0968 2550	25,5 mm	286 mm	165 mm	3	1



CARACTÉRISTIQUES TECHNIQUES



P

Ref	Ø	↔	P		
0968 2600	26 mm	286 mm	165 mm	3	1
0968 2650	26,5 mm	286 mm	165 mm	3	1
0968 2700	27 mm	291 mm	170 mm	3	1
0968 2750	27,5 mm	291 mm	170 mm	3	1
0968 2800	28 mm	291 mm	170 mm	3	1
0968 2850	28,5 mm	296 mm	175 mm	3	1
0968 2900	29 mm	296 mm	175 mm	3	1
0968 2950	29,5 mm	296 mm	175 mm	3	1
0968 3000	30 mm	296 mm	175 mm	3	1
0968 3050	30,5 mm	301 mm	180 mm	3	1
0968 3100	31 mm	301 mm	180 mm	3	1
0968 3150	31,5 mm	301 mm	180 mm	3	1
0968 3200	32 mm	334 mm	185 mm	4	1
0968 3300	33 mm	334 mm	185 mm	4	1
0968 3400	34 mm	339 mm	190 mm	4	1
0968 3500	35 mm	339 mm	190 mm	4	1
0968 3600	36 mm	344 mm	195 mm	4	1
0968 3700	37 mm	344 mm	195 mm	4	1
0968 3800	38 mm	349 mm	200 mm	4	1
0968 3900	39 mm	349 mm	200 mm	4	1
0968 4000	40 mm	349 mm	200 mm	4	1
0968 4100	41 mm	354 mm	205 mm	4	1
0968 4200	42 mm	354 mm	205 mm	4	1
0968 4300	43 mm	359 mm	210 mm	4	1
0968 4400	44 mm	359 mm	210 mm	4	1
0968 4500	45 mm	359 mm	210 mm	4	1
0968 4600	46 mm	364 mm	215 mm	4	1
0968 4700	47 mm	364 mm	215 mm	4	1
0968 4800	48 mm	369 mm	220 mm	4	1
0968 4900	49 mm	369 mm	220 mm	4	1
0968 5000	50 mm	369 mm	220 mm	4	1