




CARACTÉRISTIQUES TECHNIQUES

Référence: 09711018; 09711019; 09711020; 09711021; 09711022; 09711023; 09711024; 09711025; 09711026; 09711027; 09711028; 09711029; 09711030; 09711031; 09711032; 09711033; 09711034; 09711035; 09711036; 09711037; 09711038; 09711039; 09711040; 09711041; 09711042; 09711043; 09711044; 09711045; 09711046; 09711047; 09711048; 09711049; 09711050; 09711051; 09711052; 09711053; 09711055; 09711056; 09711057; 09711058; 09711059; 09711061; 09711062; 09711063; 09711064; 09711065; 09711066; 09711067; 09711068; 09711069; 09711070; 09711075; 09711080; 09711085; 09711090; 09711095; 09711100

Couronnes de métal dur



cofan

Couronnes avec plaques en métal dur soudées, meulées et rectifiées.

Avec canal d'évacuation des copeaux.

Avec limiteur de profondeur.

Utilisable sur des surfaces planes et courbes.

Épaisseur maximale jusqu'à 20 mm.



CARACTERÍSTICAS TÉCNICAS

Ref	Ø	
0971 1018	18 mm	1
0971 1019	19 mm	1
0971 1020	20 mm	1
0971 1021	21 mm	1
0971 1022	22 mm	1
0971 1023	23 mm	1
0971 1024	24 mm	1
0971 1025	25 mm	1
0971 1026	26 mm	1
0971 1027	27 mm	1
0971 1028	28 mm	1
0971 1029	29 mm	1
0971 1030	30 mm	1
0971 1031	31 mm	1
0971 1032	32 mm	1
0971 1033	33 mm	1
0971 1034	34 mm	1
0971 1035	35 mm	1
0971 1036	36 mm	1
0971 1038	38 mm	1
0971 1039	39 mm	1
0971 1040	40 mm	1
0971 1041	41 mm	1
0971 1042	42 mm	1
0971 1043	43 mm	1
0971 1044	44 mm	1
0971 1045	45 mm	1
0971 1046	46 mm	1
0971 1048	48 mm	1
0971 1049	49 mm	1
0971 1050	50 mm	1
0971 1051	51 mm	1



CARACTERÍSTICAS TÉCNICAS

Ref	Ø	
0971 1052	52 mm	1
0971 1053	53 mm	1
0971 1055	55 mm	1
0971 1056	56 mm	1
0971 1057	57 mm	1
0971 1058	58 mm	1
0971 1059	59 mm	1
0971 1061	61 mm	1
0971 1062	62 mm	1
0971 1063	63 mm	1
0971 1064	64 mm	1
0971 1065	65 mm	1
0971 1066	66 mm	1
0971 1067	67 mm	1
0971 1068	68 mm	1
0971 1069	69 mm	1
0971 1070	70 mm	1
0971 1075	75 mm	1
0971 1080	80 mm	1
0971 1085	85 mm	1
0971 1090	90 mm	1
0971 1095	95 mm	1
0971 1100	100 mm	1