



CARACTÉRISTIQUES TECHNIQUES

Référence: 09802010; 09802011; 09802012; 09802013; 09802014; 09802015; 09802016; 09802017; 09802018; 09802019; 09802020; 09802021; 09802022; 09802023; 09802024; 09802025; 09802026; 09802027; 09802028; 09802029; 09802030; 09802031; 09802032; 09802033; 09802034; 09802035; 09802036; 09802037; 09802038; 09802039; 09802040; 09802041; 09802042; 09802043; 09802044; 09802045; 09802046; 09802047; 09802048; 09802049; 09802050; 09802051; 09802052; 09802053; 09802054; 09802055; 09802056; 09802057; 09802058; 09802059; 09802060; 09802061; 09802062; 09802063; 09802064; 09802065; 09802066; 09802067; 09802068; 09802069; 09802070; 09802075; 09802080; 09802085; 09802090; 09802095; 09802100

Couronnes réaffûtables HSS



Couronnes en acier rapide M2 HSS réaffûtables avec brise-copeaux et broche intégrée.



CARACTERÍSTICAS TÉCNICAS

Ref	Ø		
0980 2010	10 mm	1	✓
0980 2011	11 mm	1	✓
0980 2012	12 mm	1	✓
0980 2013	13 mm	1	✓
0980 2014	14 mm	1	✓
0980 2015	15 mm	1	✓
0980 2016	16 mm	1	✓
0980 2017	17 mm	1	✓
0980 2018	18 mm	1	✓
0980 2019	19 mm	1	✓
0980 2020	20 mm	1	✓
0980 2021	21 mm	1	✓
0980 2022	22 mm	1	✓
0980 2023	23 mm	1	✓
0980 2024	24 mm	1	✓
0980 2025	25 mm	1	✓
0980 2026	26 mm	1	✓
0980 2027	27 mm	1	✓
0980 2028	28 mm	1	✓
0980 2029	29 mm	1	✓
0980 2030	30 mm	1	✓
0980 2031	31 mm	1	✓
0980 2032	32 mm	1	✓
0980 2033	33 mm	1	✓
0980 2034	34 mm	1	✓
0980 2035	35 mm	1	✓
0980 2036	36 mm	1	✓
0980 2037	37 mm	1	✓
0980 2038	38 mm	1	✓
0980 2039	39 mm	1	✓

Ref	Ø		
0980 2040	40 mm	1	✓
0980 2041	41 mm	1	✓
0980 2042	42 mm	1	✓
0980 2043	43 mm	1	✓
0980 2044	44 mm	1	✓
0980 2045	45 mm	1	✓
0980 2046	46 mm	1	✓
0980 2047	47 mm	1	✓
0980 2048	48 mm	1	✓
0980 2049	49 mm	1	✓
0980 2050	50 mm	1	✓
0980 2051	51 mm	1	✓
0980 2052	52 mm	1	✓
0980 2053	53 mm	1	✓
0980 2054	54 mm	1	✓
0980 2055	55 mm	1	✓
0980 2056	56 mm	1	✓
0980 2057	57 mm	1	✓
0980 2058	58 mm	1	✓
0980 2059	59 mm	1	✓
0980 2060	60 mm	1	✓
0980 2061	61 mm	1	✓
0980 2062	62 mm	1	✓
0980 2063	63 mm	1	✓
0980 2064	64 mm	1	✓
0980 2065	65 mm	1	✓
0980 2066	66 mm	1	✓
0980 2067	67 mm	1	✓
0980 2068	68 mm	1	✓



CARACTERÍSTICAS TÉCNICAS

Ref	Ø		
0980 2069	69 mm	1	✓
0980 2070	70 mm	1	✓
0980 2075	75 mm	1	✓
0980 2080	80 mm	1	✓
0980 2085	85 mm	1	✓
0980 2090	90 mm	1	✓
0980 2095	95 mm	1	✓
0980 2100	100 mm	1	✓