

FTMOO/60AF

## CARACTÉRISTIQUES TECHNIQUES

RÉFÉRENCE:  $0970\,0300;\,0970\,0400;\,0970\,0500;\,0970\,0600;\,0970\,0700;\,0970\,0800;\,0970\,0900;\,0970\,1000;\,0970\,1200;\,0970\,1400;\,0970\,1600;\,0970\,2000;\,0970\,0600XL;\,0970\,0800XL;\,0970\,1000XL$ 

Perceuse à percussion professionnelle spéciale granit et matériaux durs

Forets spéciaux à percussion et rotatifs pour le marbre, le granit et les matériaux durs

## GRANITO



## Extra Larga Long Series

Ref	Ø	$\leftarrow$	P	*	
0970 0600XL	6,0 mm	150 mm	80 mm	1	~
0970 0800XL	8,0 mm	250 mm	170 mm	1	~
0970 1000XL	10,0 mm	250 mm	170 mm	1	~

Ref	Ø	$\leftarrow$	P	***	=
0970 0300	3,0 mm	70 mm	35 mm	1	~
0970 0400	4,0 mm	75 mm	40 mm	1	~
0970 0500	5,0 mm	85 mm	50 mm	1	~
0970 0600	6,0 mm	100 mm	60 mm	1	~
0970 0700	7,0 mm	100 mm	60 mm	1	~
0970 0800	8,0 mm	120 mm	70 mm	1	~
0970 0900	9,0 mm	120 mm	70 mm	1	~
0970 1000	10,0 mm	120 mm	80 mm	1	~
0970 1200	12,0 mm	150 mm	80 mm	1	~
0970 1400	14,0 mm	150 mm	80 mm	1	~
0970 1600	16,0 mm	160 mm	80 mm	1	~
0970 2000	20,0 mm	160 mm	80 mm	1	~